



HACCP

# HACCP

NEW COMPREHENSIVE HYGIENE RANGE



**GLOBAL HYGIENE SOLUTIONS**

LABORATORIOS VINFER, S.A  
POL. IND. CAMPOLLANO C/D NUM 2. 02007  
Tlf: +34 967523501 [www.vinfer.com](http://www.vinfer.com) [vinfer@vinfer.com](mailto:vinfer@vinfer.com)  
ALBACETE, SPAIN



## CHLORINATED DISINFECTANT CLEANER




V104

### PROPERTIES:

Product for cleaning of any type of surfaces whatsoever that are not damaged by water. Its special formula thoroughly removes all stubborn dirt and grease. Superior degreasing power. Particularly useful for kitchens, ovens, grilles, range hoods, kitchen tiles, refrigerators, bathtubs, garments and upholstery, wood, machinery, motors, filters, industrial floors etc.

### APPLICATION AND INSTRUCTIONS FOR USE:

Direct use, ovens and grilles: product works best if the surface areas to be cleaned are 20/30°C. Diluted use: fryers and kitchens: dilute the product in water according to the level of dirt.



pH:  
12-14

Density:  
1.04

EAN Code: 8410836217893  
Packaging: 5 L  
Units/box: 4 (5L)  
Boxes/pallet: 32 (5L)

## CHLORINATED DISINFECTANT CLEANER




V105

### PROPERTIES:

Slightly thick chlorine foaming bactericidal and fungicidal broad spectrum liquid cleaner for simultaneous cleaning and disinfection of all types of surfaces and utensils in the food industry.

### APPLICATION AND INSTRUCTIONS FOR USE:

Contact surfaces and equipment disinfection via washing using a cloth or mop, spraying, recirculation or immersion of the product diluted in water depending on the degree of dirt. Leave for at least 5 minutes.



pH:  
12-14

Density:  
1.04

EAN Code: 8410836217893  
Packaging: 5 L  
Units/box: 4 (5L)  
Boxes/pallet: 32 (5L)

## POWERFUL DEGREASER PLUS

AVAILABLE IN 750ML FORMAT




V200

### PROPERTIES:

Product for cleaning of any type of surfaces whatsoever that are not damaged by water. Its special formula thoroughly removes all stubborn dirt and grease. Superior degreasing power. Particularly useful for kitchens, ovens, grilles, range hoods, kitchen tiles, refrigerators, bathrooms, garments and upholstery, wood, machinery, motors, filters, industrial floors etc.

### APPLICATION AND INSTRUCTIONS FOR USE:

Direct use, ovens and grilles: the product works best if the surface areas to be cleaned are 20/30°C. Diluted use, fryers and kitchens: dilute the product in water according to the level of dirt.



pH:  
13.5

Density:  
1.04

EAN Code: 8410836201809  
Packaging: 5 L  
Units/box: 4 (5L)  
Boxes/pallet: 32 (5L)

## MULTIPURPOSE DEGREASER

AVAILABLE IN 750ML FORMAT




V201

### PROPERTIES:

Product for cleaning of any type of surfaces whatsoever that are not damaged by water. Its special formula thoroughly removes all stubborn dirt and grease. Particularly useful for kitchen, ovens, grilles, range hoods, kitchen, ovens, grilles, range, hoods, kitchen tiles, refrigerators, bathrooms, garments and upholstery, wood, machinery, motors, filters, industrial floors etc.

### APPLICATION AND INSTRUCTIONS FOR USE:

Direct use, ovens and grilles: the product works best if the surface areas to be cleaned are 20/30°C. Diluted use, fryers and kitchens: dilute the product in water according to the level of dirt.



pH:  
13.5

Density:  
1.03

EAN Code (5L): 8410836201793  
EAN Code (750ml): 8410836206194  
Packaging: 5 L/750ml  
Units/box: (5L) 4  
Units/box (750ml): 12  
Boxes/pallet: (5L) 32  
Boxes/pallet (750ml): 50

## HOTPLATES DEGREASER

AVAILABLE IN 750ML FORMAT




V202

### PROPERTIES:

Specially formulated for cleaning hotplates and ovens. Highly alkaline product specially formulated for cleaning metal surfaces. Contains surfactants which improve the wetting of the hotplate.

### APPLICATION AND INSTRUCTIONS FOR USE:

Apply with the hotplate turned off and wait approximately 5-10 minutes before using (no aluminium).



pH:  
13.5

Density:  
1.14

EAN Code (5L): 8410836202134  
EAN Code (750ml): 8410836213536  
Packaging: 5 L/750ml  
Units/box: (5L): 4  
Units/box (750ml): 12  
Boxes/pallet: 32 (5L)  
Boxes/pallet (750ml): 50

## JAGUAR MULTI-PURPOSE DISINFECTANT DEGREASER



V203

### PROPERTIES:

Degreases and disinfects all types of surfaces. Antiseptic and chemical disinfectants.

### APPLICATION AND INSTRUCTIONS FOR USE:

Surfaces and equipment via spraying and cleaning using the product either undiluted or previously diluted in water, observing contact times. UNE-EN 13697 Standard compliant in dirty conditions. The exposed parts or surfaces must be properly rinsed with drinking water prior to use.



MANUAL KITCHENS

pH:  
10-12

Density:  
1.14

EAN Code: 8410836217800  
Packaging: 750ml  
Units/box: 12  
Boxes/pallet: 50

## PERFUME FREE HAND GEL



V401

### PROPERTIES:

Hand gel ensuring perfect hygiene protecting one's hands thanks to its neutral pH. Suitable for all skin types.

### APPLICATION AND INSTRUCTIONS FOR USE:

Apply 5-10ml onto damp skin gently massaging. Rinse thoroughly with water.



BODY USING A DOSING PUMP

pH:  
6.0

Density:  
1.06

EAN Code: 8410836204473  
Packaging: 5 L  
Unit/box: 4 (5L)  
Boxes/pallet: 32 (5L)

## SANITISING MANUAL DISH WATER DETERGENT



V500

### PROPERTIES:

Detergent for manual cleaning of crockery. For all water washable surfaces or materials. Useful for all kitchen utensils, crockery, glassware and countertops. Superior degreaser power.

### APPLICATION AND INSTRUCTIONS FOR USE:

Add to 1ml-4ml of product per litre of water, rinse off the items to be cleaned and then rise.



MANUAL DISHWASHER KITCHENS

pH:  
6.0

Density:  
1.01

EAN Code: 8410836212584  
Packaging: 5 L  
Unit/box: 4 (5L)  
Boxes/pallet: 32 (5L)

## SOFT WATERS MACHINE DETERGENT



V501

### PROPERTIES:

Special liquid detergent for cleaning of dishes and crystalware in dishwashing machines. Easily removes the most stubborn dirt. Specially formulated for soft waters (up to 15°F). Optimal working temperature 55-65°C.

### APPLICATION AND INSTRUCTIONS FOR USE:

Dosing can be manual or automatic. In automatic dishwashing machines with regulator, use a dose of between 2 to 5 grams per litre of water. In machines without a regulator, use a 60ml dose for normal washing, increasing the dose for utensils with solid grease. Do not use on aluminium or that it enters into contact with that material.



MACHINE DISHWASHER MECHANICAL DOSIFICATION MANUAL DOSAGE

pH:  
13.5

Density:  
1.13

EAN Code: 8410836202097  
Packaging: 5L, 10L y 20L  
Unit/box: 4 (5L)  
Boxes/pallet: 32 (5L)  
Carafes/pallet: 60(10L), 24(20L)

## SEMI-HARD WATERS MACHINE DETERGENT



V502

### PROPERTIES:

Special liquid detergent for cleaning of dishes and crystalware in dishwashing machines. Easily removes the most stubborn dirt. Specially formulated for semi-hard waters (up to 15°F). Optimal working temperature 55-65°C.

### APPLICATION AND INSTRUCTIONS FOR USE:

Dosing can be manual or automatic. In automatic dishwashing machines with regulator, use a dose of between 2 to 5 grams per litre of water. In machines without a regulator, use a 60ml dose for normal washing, increasing the dose for utensils with solid grease. Do not use on aluminium or that it enters into contact with that material.



MACHINE DISHWASHER MECHANICAL DOSIFICATION MANUAL DOSAGE

pH:  
13.5

Density:  
1.13

EAN Code: 8410836202080  
Packaging: 5L, 10L y 20L  
Unit/box: 4 (5L)  
Boxes/pallet: 32 (5L)  
Carafes/pallet: 60(10L), 24(20L)

## HARD WATERS MACHINE DETERGENT



V503

### PROPERTIES:

Special liquid detergent for cleaning of dishes and crystalware in dishwashing machines. Easily removes the most stubborn dirt. Specially formulated for hard waters (up to 15°F). Optimal working temperature 55-65°C.

### APPLICATION AND INSTRUCTIONS FOR USE:

Dosing can be manual or automatic. In automatic dishwashing machines with regulator, use a dose of between 2 to 5 grams per litre of water. In machines without a regulator, use a 60ml dose for normal washing, increasing the dose for utensils with solid grease. Do not use on aluminium or that it enters into contact with that material.



MACHINE  
DISHWASHER



MECHANICAL  
DOSIFICATION



MANUAL  
DOSAGE

pH:  
13.5

Density:  
1.13

EAN Code: 8410836202073  
Packaging: 5L, 10L y 20L  
Unit/box: 4 (5L)  
Boxes/pallet: 32 (5L)  
Carafes/pallet: 60(10L), 24(20L)

## HARD WATERS DISWASHING MACHINE RISEN AID



V504

### PROPERTIES:

Product for the automatic rinsing and polishing of crockery and glassware. Leaves a perfect finish, providing a dry and shiny surface wich prevents the formation of stain rims. Specially formulated for hard waters (>40°F). Optimal working temperature 75-85°C.

### APPLICATION AND INSTRUCTIONS FOR USE:

Fill the container of the machine intended for the rinse aid. Add a dose of 2 to 5g per litre of water.



MACHINE  
DISHWASHER



MECHANICAL  
DOSIFICATION



MANUAL  
DOSAGE

pH:  
5.5

Density:  
1.01

EAN Code: 8410836202066  
Packaging: 5L, 10L y 20L  
Unit/box: 4 (5L)  
Boxes/pallet: 32 (5L)  
Carafes/pallet: 60(10L), 24(20L)

## SEMI-HARD WATERS DISWASHING MACHINE RISEN AID



V505

### PROPERTIES:

Product for the automatic rinsing and polishing of crockery and glassware. Leaves a perfect finish, providing a dry and shiny surface wich prevents the formation of stain rims. Specially formulated for semi-hard waters (>40°F). Optimal working temperature 75-85°C.

### APPLICATION AND INSTRUCTIONS FOR USE:

Fill the container of the machine intended for the rinse aid. Add a dose of 2 to 5g per litre of water.



MACHINE  
DISHWASHER



MECHANICAL  
DOSIFICATION



MANUAL  
DOSAGE

pH:  
5.5

Density:  
1.01

EAN Code: 8410836202059  
Packaging: 5L, 10L y 20L  
Unit/box: 4 (5L)  
Boxes/pallet: 32 (5L)  
Carafes/pallet: 60(10L), 24(20L)

## SOFT WATERS DISWASHING MACHINE RISEN AID



V506

### PROPERTIES:

Product for the automatic rinsing and polishing of crockery and glassware. Leaves a perfect finish, providing a dry and shiny surface wich prevents the formation of stain rims. Specially formulated for soft waters (>40°F). Optimal working temperature 75-85°C.

### APPLICATION AND INSTRUCTIONS FOR USE:

Fill the container of the machine intended for the rinse aid. Add a dose of 2 to 5g per litre of water.



MACHINE  
DISHWASHER



MECHANICAL  
DOSIFICATION



MANUAL  
DOSAGE

pH:  
5.5

Density:  
1.01

EAN Code: 8410836202042  
Packaging: 5L, 10L y 20L  
Unit/box: 4 (5L)  
Boxes/pallet: 32 (5L)  
Carafes/pallet: 60(10L), 24(20L)

## CHLORINE DISINFECTANT DISHWASHING MACHINE DETERGENT



V507

### PROPERTIES:

Chlorinated alkaline liquid detergent for industrial dishwashing machines. Superior detergent, degreasing and disinfection power. Can be used on all those materials which can be washed in dishwashing machines and resistant to chlorine.

### APPLICATION AND INSTRUCTIONS FOR USE:

In automatic dishwashing machines with a regulator, use a dose of 2 to 8 grams per litre of water. In machines without a regulator, use a 60 ml dose for normal washing, increasing the dose for utensils with solid grease. Carefully read the label before using the product. UNE-EN 13697 Standard compliant in dirty conditions.



MACHINE  
DISHWASHER



MECHANICAL  
DOSIFICATION



MANUAL  
DOSAGE

pH:  
12-14

Density:  
1.25

EAN Code: 8410836217909  
Packaging: 5 L  
Unit/box: 4 (5L)  
Boxes/pallet: 32 (5L)

## DISH WASHER DESINCRUSTANT



V600

### PROPERTIES:

Acid product for removing limescale deposits and rust in automatic dishwashing machines. Cleans and maintains components in optimal conditions. Prevents clogging and prolongs equipment lifetime and ensures its smooth functioning.

### APPLICATION AND INSTRUCTIONS FOR USE:

Add 50-100ml/L to water. Turn the dishwashing machine on for approximately 10-15 minutes. Empty and inspect.



MACHINE  
DISHWASHE



MECHANICAL  
DOSIFICATION



MANUAL  
DOSAGE

pH:  
1.5

Density:  
1.25

EAN Code: 8410836213710  
Packaging: 5 L  
Unit/box: 4 (5L)  
Boxes/pallet: 32 (5L)

## VINFERMATÓN DISINFECTANT CLEANER



V801

### PROPERTIES:

Vinfermaton disinfectant cleaner, is a multipurpose cleaner for all kinds of surfaces. Thanks to its formulation, cleans, disinfects and deodorises treated surfaces. It is a non-chlorinated product. Superior detergent power ensuring the disinfection of surfaces. Can be applied onto any surface whatsoever that is not damaged by water, floors, bathrooms, toilets, walls etc.

### APPLICATION AND INSTRUCTIONS FOR USE:

Prepare the surface. Remove loose dirt. Apply the water diluted product. Dosage: 25ml in 1litre of water. Leave for a few minutes and rinse with clean water.



MANUAL



FRINGES



FLOORS



KITCHENS



BATHS

pH:  
9-11

Density:  
1.00

EAN Code: 8410836205524  
Packaging: 5L, 10L y 20L  
Unit/box: 4 (5L)  
Boxes/pallet: 32 (5L)  
Carafes/pallet: 60(10L), 24(20L)

HACCP is a prevention and self-monitoring system, which identifies, assesses and controls significant hazards as regards food safety.

Our HACCP product line is a global hygiene solution with products designed for the food industry such as degreasers, descalers, multipurpose products, general cleaners and specific products for the washing and polishing of crockery. Product especially formulated for compliance with the EC Regulation 852/2004 on the hygiene of foodstuffs.

## LIKELY USE SECTORS

ABATTOIRS

CATERING AND  
HOTEL TRADE

DAIRY  
INDUSTRIES

NURSERY  
SCHOOLS

WINERIES

SCHOOLS

RESTAURANT

RETIREMENT  
HOMES

## GLOBAL HYGIENE SOLUTIONS